Central Eyre Iron Project Environmental Impact Statement



APPENDIX Z VIEWPOINT ASSESSMENTS



COPYRIGHT

Copyright © Iron Road Limited, 2015

All rights reserved

This document and any related documentation is protected by copyright owned by Iron Road Limited. The content of this document and any related documentation may only be copied and distributed for the purposes of section 46B of the *Development Act, 1993 (SA)* and otherwise with the prior written consent of Iron Road Limited.

DISCLAIMER

Iron Road Limited has taken all reasonable steps to review the information contained in this document and to ensure it accuracy as at the date of submission. Note that:

- (a) in writing this document, Iron Road Limited has relied on information provided by specialist consultants, government agencies, and other third parties. Iron Road Limited has reviewed all information to the best of its ability but does not take responsibility for the accuracy or completeness; and
- (b) this document has been prepared for information purposes only and, to the full extent permitted by law, Iron Road Limited, in respect of all persons other than the relevant government departments, makes no representation and gives no warranty or undertaking, express or implied, in respect to the information contained herein, and does not accept responsibility and is not liable for any loss or liability whatsoever arising as a result of any person acting or refraining from acting on any information contained within it.



Appendix Z – Viewpoint Assessments

Viewpoint C01 – Wudinna-Darke Peak Road



Location	Wudinna-Darke Peak Road, Approximately 3.9 km south east of intersection of
	McDonald Road
View Direction	West to south
Landscape Type(s)	Hilly and Conservation Areas, Flat to Gently Undulating Farmland
Distance from Project	Adjacent to the infrastructure corridor
Consistivity	Medium: this viewpoint is on a local road (low sensitivity) adjacent to the Hambidge
Sensitivity	WPA (medium sensitivity).
Evnosuro	Low: this viewpoint is located on an unsealed road and not within Hambidge WPA.
Exposure	The main access point of Hambidge WPA is via a track to the south of the reserve.
	Views out across the landscape toward the infrastructure corridor from this location
, ,	are mostly obscured by roadside vegetation. Hambidge WPA is visible through a gap
Description	in the vegetation at the centre of the image. This conservation area is mostly
	composed of low growing Mallee scrub and is similar in appearance to vegetation
	elsewhere in the vicinity.
	The infrastructure corridor will run alongside the WPA from left to right across the image



Comments

The infrastructure corridor will run alongside the WPA from left to right across the image crossing the Wudinna-Darke Peak Road directly in the foreground. The majority of roadside vegetation visible from this viewpoint will need to be removed to allow the railway line to pass through. The transmission line will cross Wudinna-Darke Peak Road at the far right of the image, and will be visible over the top of existing roadside vegetation. When viewed north or south of this viewpoint from Wudinna-Darke Peak Road, the infrastructure corridor will be largely obscured by vegetation, with the exception of the road crossing point and the high points of the transmission line.

Visual Impact

Medium: the infrastructure corridor would be a prominent visual element from this viewpoint due to the clearance of the majority of roadside vegetation visible in the image. The corridor will be largely screened when viewed form Wudinna-Darke Peak Road north and south of this location by vegetation on the roadside and within Hambidge WPA. This viewpoint is on a local road which experiences low visual exposure and the visual amenity of the conservation area, as seen from a distance, is moderately sensitive to visual modifications.



Viewpoint CO2 – Edwards Road



Location	Edwards Road, on the corner of G connor Road
View Direction	West
Landscape Type(s)	Flat to Gently Undulating Farmland
Distance from Project Approximately 150 m to the infrastructure corridor	
Sensitivity	Low: this viewpoint comprises farmland
Exposure	Low: this viewpoint is located on a local unsealed road
Description	Views out across the landscape toward the infrastructure corridor from this location are mostly obscured by roadside vegetation; however farmland is visible through the gaps. Roadside vegetation is common in this area and extended views across the landscape are sporadic.



Comments

The infrastructure corridor will run parallel to Edwards Road in a north/south orientation on the other side of the vegetation. The majority of components of the infrastructure corridor are likely to be obscured. However, the transmission line is the closest project component and will be visible through gaps and over the top of lower areas of vegetation. This viewpoint experiences a low level of visitation and low landscape sensitivity.

Visual Impact

Low: although the infrastructure corridor is within close proximity to this viewpoint, it would be mostly concealed from view due to intervening vegetation. The transmission line would appear above and in between the vegetation and would represent a noticeable visual element. On balance, due to the low visual exposure and low sensitivity to visual modifications at this viewpoint, the overall visual impact is considered to be low.



Viewpoint C03 – Federation Lookout, Darke Range



Location	Federation Lookout, Darke Range
View Direction	Southwest
Landscape Type(s)	Hilly and Conservation Areas, Flat to Gently Undulating Farmland
Distance from Project	Approximately 4.4 km to infrastructure corridor
Sensitivity	Medium: the viewpoint primarily encompasses farmland (low sensitivity) as viewed from
Sensitivity	a lookout within Darke Range (high sensitivity)
Exposure	Medium: this viewpoint is from a scenic lookout with low to moderate levels of visitation
	Darke Range Conservation Park is located at the southern end of Darke Range and is used for recreational purposes such as bushwalking and bird watching. Federation Lookout is
	located at the southern end of the Range and accessed via an 800 m walking trail from a
	car park. The car park is only accessible via a farm gate and steep, rocky access track not
D	suitable for all vehicles. Views west toward the infrastructure corridor take in low
Description	growing vegetation in the foreground and panoramic views of farmland in the middle and
	far distance. Hambidge WPA is visible as a dark band of vegetation to the north in the far
	distance. Linear bands of vegetation which follow roads and property boundaries are
	clearly visible. Additional linear elements have been introduced to the landscape in the
	form of roads, access tracks and electricity distribution lines and are also clearly visible.
	The infrastructure corridor would be clearly visible in the middle distance; however its appe



Comments

The infrastructure corridor would be clearly visible in the middle distance; however its appearance would not be dissimilar to the numerous other linear elements crossing the highly modified landscape within the view. It is considered that the receiving landscape has a high visual absorption capacity and the introduction of an additional linear element will not appear discordant with existing linear elements in the landscape. The railway line would be the most prominent visual element from this viewpoint, as the thin monopole structure of the transmission line towers will more readily blend into the landscape.

Visual Impact

Low: despite medium sensitivity and exposure, the receiving landscape has a high visual absorption capacity for the introduction of an additional linear element which would not appear discordant with exiting linear elements in the landscape. As such, the CEIP Infrastructure is not considered to be a highly prominent feature from this viewpoint.



Viewpoint CO4 – Kilroo-Kielpa Road



View southwest along corridor



View northwest along corridor



	Viewpoint C04 – Kilroo-Kielpa Road		
Location	Kilroo-Kielpa Road, approximately 3.2 km south east of intersection with Dog Fence Road		
View Direction	Northwest to southwest		
Landscape Type(s)	Flat to Gently Undulating Farmland		
Distance from Project	Adjacent to the infrastructure corridor		
Sensitivity	Llow: this viewpoint comprises farmland		
Exposure	Low: this viewpoint is located on an unsealed local road		
Description	Extended views northwest to southwest from this viewpoint are mostly obscured by roadside vegetation, however farmland can be seen through gaps. Kilroo-Kielpa road contains roadside vegetation for much of its length which obscures distant views out across the landscape.		
Comments	The railway would cross the Kilroo-Kielpa Road in front of this viewpoint in a roughly north/south orientation. The water supply pipeline joins this infrastructure corridor at this point and the borefield header tank and pump station are located north of Kilroo-Kielpa Road and are likely to be visible between breaks in the roadside vegetation. Extended views of the railway or water supply pipeline would be largely obscured by roadside vegetation. The transmission line crosses Kilroo-Kielpa Road east of this viewpoint and would be visible between roadside vegetation to the far right of the image to the northwest. Three bores are located adjacent to Kilroo-Kielpa Road, two west and one east of this viewpoint, and all would be obscured by roadside vegetation.		
Visual Impact Low: this location experiences low visual exposure and the landscape has a low sensitivity to visual change. In addition, the majority of the incorridor would be partially to fully concealed by roadside vegetation with the exception of the railway crossing point.			



Viewpoint C05 – Birdseye Highway



Location	Birdseye Highway, approximately 50 m west of intersection of Pedersen and Phelps
Location	Roads
View Direction	East
Landscape Type(s)	Flat to Gently Undulating Farmland
Distance from Project	Approximately 120 m to infrastructure corridor
Sensitivity	Low: this viewpoint comprises farmland
Exposure	High: this viewpoint is located on a major highway
Description	The view east from this viewpoint takes in farmland with isolated groups of vegetation. There is limited roadside vegetation along this section of the Birdseye Highway and relatively unimpeded views of the surrounding landscape are available to the north and the south. Views to the east are partially obscured by roadside vegetation.



Comments

The railway crosses Birdseye Highway at approximately 120 m east of this viewpoint at the centre of the image, running north-south and parallel to Pedersen and Phelps Roads. The most visually dominant element of the project would be the railway crossing at the Birdseye Highway. The transmission line would not be visible from this location as it would divert toward Cleve approximately 3.2 km to the north of this location. Extended views of the railway line will be restricted by roadside vegetation on Pedersen and Phelps Roads, although the railway will be visible through gaps in the vegetation.

Medium: although there would be a clear view of the railway crossing within close proximity to a highly exposed location, the landscape sensitivity is low.

Visual Impact


Wedium: although there would be a clear view of the railway crossing within close proximity to a nightly exposed location, the la Extended views of the railway line across the landscape are largely obscured by roadside vegetation.



Viewpoint C06 – Balumbah-Kinnard Road



Location	Balumbah-Kinnard Road, approximately 2.5 km north of the intersection with
Location	Birdseye Highway
View Direction	Northeast
Landscape Type(s)	Flat to Gently Undulating Farmland
Distance from Project	Approximately 400 m south of the transmission line
Sensitivity	Low: this viewpoint primarily comprises farmland
Exposure	Medium: this viewpoint is located on a sealed, secondary road
	The view east from this location toward the infrastructure corridor mostly takes in
	farmland with roadside vegetation along both sides of the road. The vegetation
	exists as a mostly continuous band however there are gaps in some locations where
Description	views of the surrounding landscape are available. There are also linear bands of
	vegetation in the far distance. An existing electricity transmission line can be seen
	which crosses the road approximately 60 m north of this viewpoint.
	The only component of the CEIP Infrastructure which would be visible from this location



Comments

The only component of the CEIP Infrastructure which would be visible from this location would be the transmission line spur, running east to west across the view. The proposed transmission line spur will be approximately 400 m north of this viewpoint and run parallel to the existing transmission line. The transmission line spur would be largely obscured by vegetation from this viewpoint. Extended views to the transmission line spur will be available at gaps and low points in the roadside vegetation. The proposed transmission line spur is consistent with existing development visible from this location and is not considered to represent a dominant visual element.

Visual Impact

Low: the proposed transmission line spur would be largely obscured by roadside vegetation and extended views across the landscape are limited. The proposed transmission line spur would not represent a substantial visual change as it would be co-located with the existing transmission line.



Viewpoint C07 – Swaffer Road



View north towards project corridor



View east towards project corridor



Viewpoint C07 – Swaffer Road			
Location	Swaffer Road, approximately 175 m north east of intersection with Phelps Road	The second secon	
View Direction	Northeast	Voo _{sea} ,	
Landscape Type(s)	Flat to Gently Undulating Farmland	The state of the s	
Distance from Project	Approximately 50 m to infrastructure corridor	The state of the s	
Sensitivity	Low: this viewpoint comprises farmland	The Contract of the Contract o	
Exposure	Low: this viewpoint is located on an unsealed local road	8k E (07	
Description	The view north to east from this viewpoint toward the infrastructure corridor mostly takes in farmland with scattered vegetation. Vegetation to the east is generally low lying, offering unimpeded views of the landscape. Views to the north are partially obscured by the presence of taller vegetation. Extended views north are largely obscured by a topographic rise in the medium view.	he east is generally low he north are partially	
Comments	The proposed railway would be the only component of the infrastructure corridor visible from this viewpoint. The railway would cross Swaffer Road at a point approximately 50 m east of this location. Views of the railway would be largely unimpeded, with the exception of partial screening by roadside vegetation to the north. The railway would be screened by topographic variation after cresting the small rise visible in the middle distance to the north.		
Visual Impact Low: although there is a relatively clear line of sight toward the railway, the sensitivity of the landscape to visual changes is low and this location visual exposure. In addition, extended views of the railway will be restricted by topographic variation.			



Viewpoint C08 – Birdseye Highway



Location	Birdseye Highway, at the intersection of Pine Corner Road	
View Direction	North	
Landscape Type(s)	Flat to Gently Undulating Farmland	
Distance from Project	Approximately 200 m to the transmission line spur	
Sensitivity	Low: this viewpoint primarily comprises farmland	
Exposure	High: this viewpoint is located on a major highway	
Description	The view north from this viewpoint mostly takes in farmland with linear bands of vegetation visible in the middle to far distance. An existing transmission line can be seen in the middle distance running west to east across the image. The existing transmission line connects with an electrical substation which is located to the right of the image. The main visible components of the substation are the tops of the structures, whereas the base of the installation is largely concealed by vegetation.	



Comments

The only component of the proposed CEIP Infrastructure visible from this location would be the transmission line spur. The proposed transmission line spur would run parallel to the existing transmission line, approximately 100 m to the north. The proposed transmission line spur would be taller than the existing line and will comprise a steel monopole structure. Views of the transmission line spur from this viewpoint will be largely unimpeded to the northwest, up to its crossing point with Syvertsen Road where it would be largely screened by vegetation.

Visual Impact

Low: the degree of visual change to the existing landscape would be moderated by the presence of existing electricity infrastructure including the transmission line and substation. Although the viewpoint is located within an area of high visual exposure, the sensitivity of the landscape to visual change is low. The proposed transmission line spur does not represent an unfamiliar built form in this landscape and is not considered to be a dominant visual element.

Page 10 Appendix Z: Viewpoint Assessments



Viewpoint C09 – Balumbah-Kinnard Road



Location	Balumbah-Kinnard Road, approximately 20 m from intersection with Cummins-
LOCATION	Buckleboo Railway
View Direction	Southeast
Landscape Type(s)	Flat to Gently Undulating Farmland
Distance from Project	Approximately 50 m to the infrastructure corridor
Sensitivity	Low: this viewpoint comprises farmland
Exposure	Medium: this viewpoint is located on a sealed, secondary road
Description	Views southeast from this location mostly take in farmland and roadside vegetation. Views toward the south-east are relatively unimpeded whereas roadside vegetation to the west restricts views across the landscape in that direction. The Cummins-Buckleboo Railway can be seen in the middle distance travelling in a south-easterly direction, with the Balumbah-Kinnard Road crossing point visible at the far left of the image.
The only element of the proposed CEID infrastructure visible from this viewnei	



Comments

Visual Impact

The only element of the proposed CEIP Infrastructure visible from this viewpoint would be the railway line. The proposed railway line runs approximately parallel to Balumbah-Kinnard Road at this location and would cross over the Cummins-Buckleboo Railway via a rail overpass at the centre of the image in the middle distance. The rail overpass would be a visually dominant component, visible at a range of distances as a result of its elevation. The proposed railway would continue to be visible for an extended distance to the south of this viewpoint as there is no intervening vegetation or topographic relief.

Medium: there would be a clear view of the railway and rail overpass within close proximity to this viewpoint. The viewpoint is a moderately exposed location; however the landscape sensitivity is low. As such, the overall visual impact is considered to be medium, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.



Viewpoint C10 – Balumbah-Kinnard Road



Location	Balumbah-Kinnard Road, approximately 450 m from the intersection with Taragoro
20041011	Road
View Direction	Northwest
Landscape Type(s)	Flat to Gently Undulating Farmland
Distance from Project	Approximately 150 m to the infrastructure corridor
Sensitivity	Low: this viewpoint is located within an area of farmland
Exposure	Medium: this viewpoint is located on a sealed, secondary road
Description	Dense, well established roadside vegetation is located on both sides of Balumbah-Kinnard Road north and south of this viewpoint. As such, views out across the landscape from this location are almost completely inhibited by roadside vegetation.



	The only element of the proposed infrastructure corridor potentially visible from this viewpoint is the railway. The proposed railway would be largely	
Comments	concealed from view by roadside vegetation. The only component visible would be the railway overpass, located approximately 800 m away at the centre of	
	the image and visible between lower sections of the roadside vegetation. Only the very top of the overpass would be visible from this viewpoint.	
Manal Incorporat	Negligible: with the exception of partial views to the rail overpass, the proposed CEIP Infrastructure would be concealed from view by the presence existing	
Visual Impact	vegetation. No element of significant visual change will be observed from this viewpoint.	

Page 12 Appendix Z: Viewpoint Assessments



Viewpoint C11 – Verran



	Location	Corner of Cleve-Verran Road and Balumbah-Kinnard Road, Verran	
	View Direction	West	
Landscape Type(s) Flat to Gently Undulating Farmland		Flat to Gently Undulating Farmland	
	Distance from Project	Approximately 90 m to the rail line	
	Sensitivity	Low: this viewpoint is located within farmland	
	Exposure	Medium: this viewpoint is located on an unsealed road, adjacent to the Verran	
		Church	
	Description	Views southwest and west from this viewpoint are almost completely inhibited by roadside vegetation. Limited views of the surrounding farmland are available to the northwest via narrow gaps in the vegetation. East of this viewpoint is the Verran Church, with a rural dwelling located further south.	



Comments

The only element of the proposed CEIP Infrastructure visible from this viewpoint is the railway line, which would be predominately concealed from view by roadside vegetation. The railway line runs parallel to Balumbah-Kinnard Road, approximately 90 m to the west of this viewpoint. Partially obscured views to the railway would be possible through a break in the vegetation to the north west. No substantial clearance of the existing roadside vegetation is proposed at this viewpoint.

Visual Impact

Negligible: with the exception of partially obscured views to the railway between gaps in roadside vegetation, the proposed CEIP Infrastructure would be concealed from view by the presence of existing vegetation. The proposed CEIP Infrastructure does not include any significant vertical elements at this location that will be noticeable above the vegetation. No element of significant visual change will be observed from this viewpoint.



Viewpoint C12 – Wharminda Boundary Road



Location	Wharminda Boundary Road, approximately 950 m east of intersection with Wills	
Location	Road	
View Direction	ction East	
Landscape Type(s)	Flat to Gently Undulating Farmland	
Distance from Project	Approximately 1.6 km to the rail line	
Sensitivity	Low: this viewpoint is located in an area of farmland	
Exposure	Low: this viewpoint is located on an unsealed local road	
	Views east from this viewpoint take in farmland which is relatively devoid of	
	vegetation except for scattered trees on the northern side of Wharminda Boundary	
	Road. Linear bands of vegetation are also visible in the far distance on the horizon	
Description	line to the left in the image. Modifications to the landscape can be observed in the	
·	form of fence lines and earthworks. Evidence of agricultural practices can also be	
	seen in the form of rows of hay bales to the left of the image in the middle to far	
	distance.	
	The railway line would be the only element of the proposed CEIP Infrastructure visible	



The railway line would be the only element of the proposed CEIP Infrastructure visible from this location. The railway line would appear as a low profile linear element running left to right across the entire view. The railway would cross over the road in the middle to far distance.

Visual Impact

Low: the infrastructure corridor would appear as a low profile linear element within a landscape of low exposure and low sensitivity to visual modifications. Although the railway line would be clearly visible, it would not appear dissimilar to the many other linear elements that traverse the landscape at this location, such as dirt roads and bands of vegetation.

Page 14 Appendix Z: Viewpoint Assessments



Viewpoint C13 – Chilmans Road



Location	Chilmans Road, approximately 2.3 km west of intersection with Wills Road	
View Direction	Northwest	
Landscape Type(s)	Flat to Gently Undulating Farmland	
Distance from Project	Approximately 100 m to the railway line	
Sensitivity	Low: this viewpoint is located within farmland	
Exposure	Low: this viewpoint is located on an unsealed local road	
Description	Views west from this viewpoint take in farmland and linear bands of vegetation in the middle to far distance. Vegetation also occurs on the northern boundary of Chilmans Road which restricts views toward the north-west. Vegetated hills associated with Hincks Conservation Park can be seen in the far distance at the centre of the image. Modifications to the landscape can be observed in the form of fence lines, sheds and earthworks.	



Comments

The only element of the proposed CEIP Infrastructure visible from this location is the railway. The railway would appear as a low profile linear element passing across the landscape, crossing over the road in the middle distance behind a group of trees on the right. Unrestricted views of the railway would be available to the west.

Visual Impact

Low: the railway would appear as a low profile element within a landscape of low exposure and low sensitivity to visual modifications. Although the railway line would be clearly visible, it would not appear dissimilar to the many other linear elements that traverse the landscape at this location, such as dirt roads and bands of vegetation.



Viewpoint C14 – Lincoln Highway



Location	Lincoln Highway, approximately 1.6 km north east of the intersection with Brooker Road	
View Direction Southwest		
Landscape Type(s)	Flat to Gently Undulating Farmland	
Distance from Project	Approximately 500 m to the railway crossing of the Lincoln Highway	
Sensitivity	Low: this viewpoint is located in an area of farmland	
Exposure	High: this viewpoint is located on a major highway	
Description	The view southwest from this location mostly takes in farmland with vegetation located along roadsides and property boundaries. Constructed elements within view include fence lines, a pipeline running parallel to the southern side of the Lincoln Highway, and a dirt track located approximately at the crossing point of infrastructure corridor. A set of grain silos are also visible on the horizon line on south side of the Highway.	
	The railway line would be the only element of the proposed CEIP Infrastructure visible	



Comments

The railway line would be the only element of the proposed CEIP Infrastructure visible from this location. There would be largely unrestricted views of the railway line west of the Lincoln Highway from this location, however it would be partially concealed by roadside vegetation at the crossing point, where it would pass underneath the road. Views of the railway south of the Lincoln Highway from this viewpoint will be screened by roadside vegetation and topographic variation.

Visual Impact

Medium: there would be a clear view of the railway west of this viewpoint. The proposed Lincoln Highway overpass of the railway will resemble the existing crest of the Highway already visible on the horizon of the image and is not considered a significant visual change. The viewpoint is a highly exposed location; however the landscape sensitivity is low. As such, the overall visual impact is considered to be medium, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.

Page 16 Appendix Z: Viewpoint Assessments



Viewpoint P01 – Port Neill



Location	Headland, approximately 500 m east of Port Neill township	
View Direction	Southwest	
Landscape Type(s)	Coastal	
Distance from Project	Approximately 4.8 km to the port site and 8.5 km to the jetty	
Sensitivity	High: this viewpoint is within a coastal area	
Exposure	High: this viewpoint is located within an area of high scenic and recreational value in	
Exposure	close proximity to a major town	
Description	Views southwest from this location take in the rocky headland environment in the foreground with ocean in the middle distance and the eastern coastline of the Eyre Peninsula in the far distance. Residential dwellings associated with the fringe of the Port Neill township are visible to the right in the image as are scattered dwellings along the coastline.	



Comments

The only component of the port site that would be visible from this location would be the jetty. Other components would be concealed from view due to intervening terrain. The jetty would be visible as a low profile linear element extending seaward from the headland which is furthest away on the horizon line. The orientation of the jetty is such that the seaward end of the jetty recedes further away from this viewing location as compared to the landward end, reducing horizontal extent of the structure. Inclement weather may further reduce visibility to the jetty.

Visual Impact

Negligible: the port site would be mostly concealed from view due to intervening terrain with the exception of the jetty. The jetty would extend as a linear element on the horizon, located at a substantial distance away (approximately 8.5 km south) and would not be a prominent visual element.



Viewpoint P02 – North Coast Road



Location	North Coast Road, approximately 1.2 km south west of intersection with Port Neill	
Location	Scenic Drive	
View Direction	Southwest	
Landscape Type(s)	Landscape Type(s) Coastal, Flat to Gently Undulating Farmland	
Distance from Project	Approximately 2.9 km to the port site and 6.5 km to the jetty	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low	
	sensitivity)	
Exposure	Medium: this viewpoint is located on an unsealed road with higher than normal	
	levels of visitation as it is near the coast and forms part of the local tourist drive.	
Description	Views southwest from this location take in the meandering coastline of the Eyre	
	Peninsula. Undulating farmland is also a key feature within the view and vegetation	
	is restricted to low growing shrubs and crops. There are scattered dwellings and	
	sheds visible in the middle to far distance as well as modifications to the landscape	
	where exposed earth can be seen.	
	The only component of the port site that would be visible from this location would be	



Comments

The only component of the port site that would be visible from this location would be the jetty. The other components would be concealed from view due to intervening terrain. The jetty would be visible as a low profile linear element extending seaward from the headland which is furthest away on the horizon line. Its orientation is such that the seaward end of the jetty recedes further away from this viewing location as compared to the landward end reducing its horizontal profile. Inclement weather may further reduce visibility

Visual Impact

Negligible: the port site would be mostly concealed from view due to intervening terrain with the exception of the jetty. The jetty would extent as a linear element on the horizon, located at a substantial distance away (approximately 6.5 km south) and would not be a prominent visual element.

Page 18 Appendix Z: Viewpoint Assessments



Viewpoint P03 – Carrow Wells Beach



Location	Carrow Wells Beach, approximately 400 m east of intersection with North Coast Road	
View Direction Southwest		
Landscape Type(s)	Coastal, Flat to Gently Undulating Farmland	
Distance from Project	Approximately 1.9 km to port site	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low sensitivity)	
Exposure	High: this viewpoint is located within an area of high scenic and recreational value and potentially high levels of visitation	
Description	This viewpoint is located within the car park/camp ground associated with Carrow Wells Beach. Views southwest from this location take in the dune system and coastal vegetation of Carrow Wells beach as well as the ocean in the far distance.	
Comments	The port site would be completely concealed from view due to intervening terrain.	
Visual Impact	Nil: not visible	





Visual Impact

Nil: not visible

Viewpoint P04 – Lincoln Highway



Location Lincoln Highway, approximately 1.2 km southwest of intersection with Lutheral Church Road		
View Direction	Southeast	
Landscape Type(s)	Flat to Gently Undulating Farmland	
Distance from Project	opproximately 3.2 km to the port site	
Sensitivity	w: this viewpoint is located within farmland	
Exposure	High: this viewpoint is located on a major highway	
Description	Views southeast from this location take in a relatively featureless landscape of undulating farmland with few topographical features. Scant vegetation including some scattered trees can be observed to the right in the image adjacent to a derelict building. A pipeline can be seen in the foreground running parallel to Lincoln Highway along its southern boundary.	
Comments	The port site would be completely concealed from view due to intervening terrain.	



Page 20 Appendix Z: Viewpoint Assessments



Viewpoint P05 – North Coast Road



View northeast



View south



	Viewpoint P05 – North Coast Road	
Location	North Coast Road, approximately 2 km northeast of the intersection with Brayfield Road	
View Direction	Southeast	
Landscape Type(s)	Coastal, Flat to Gently Undulating Farmland	
Distance from Project	Within the port site boundary	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low sensitivity)	
Exposure	Medium: this viewpoint is located on an unsealed road with higher than normal levels of visitation as it is near the coast and currently forms part of the local tourist drive.	
Description	Views from this location predominantly take in undulating farmland in the foreground with a narrow band of ocean visible on the horizon. There is little to no vegetation or topographical features apart from a few scattered trees and a fence. A farm shed is visible to the south adjacent to the road.	
Comments	The port site, incorporating earthworks and altered landform would be a significant visual element at this viewpoint. The rail loop will be located from northeast to southeast approximately 400 m from the viewpoint. The stockpile and materials handling will be located southeast of the rail loop. The rise adjacent to North Coast Road will provide an element of topographic screening to the port site, partially obscuring views. The jetty will also be partially obscured, but would extend southeast from the shore and be visible in the far distance.	
Visual Impact	Medium: although the port site would be a significant visual element at this viewpoint, partial screening of the site is provided by the crest adjacent to North Coast Road. Landscape sensitivity at this viewpoint is medium, as is the level of exposure. As such, the overall visual impact is considered to be medium, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.	

Page 22 Appendix Z: Viewpoint Assessments



Viewpoint P06 – North Coast Road Road



View north to east



View southeast



Viewpoint P06 – North Coast Road Road		
Location	North Coast Road, approximately 450 m northwest of the intersection with Brayfield Road	
View Direction	North to southeast	
Landscape Type(s)	Coastal, Flat to Gently Undulating Farmland	
Distance from Project	Within the port site boundary, adjacent to the construction camp	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low sensitivity)	
Exposure	Medium: this viewpoint is located on an unsealed road with higher than normal levels of visitation as it is near the coast and currently forms part of the local tourist drive.	
Description	Views from this viewpoint predominantly take in undulating farmland in the foreground with a narrow band of ocean visible on the horizon. There is little to no vegetation apart from a few scattered trees and planted features. Topographically, the surrounding farmland is undulating, limiting views to the middle distance. Constructed features visible from this location are limited to fencing, access tracks and a rural dwelling west of the viewpoint.	
Comments	The port site, incorporating earthworks and altered landform would be a significant visual element at this viewpoint. The rail loop will be located to the northeast, approximately 700 m from the viewpoint. The stockpile and materials handling will be located southeast of the rail loop, visible east of the viewpoint. The rise adjacent to North Coast Road will provide an element of topographic screening to the port site, partially obscuring views. The jetty will also be partially obscured, but would extend southeast from the shore and be visible in the far distance.	
Visual Impact	Medium: although the port site would be a significant visual element at this viewpoint, partial screening of the site is provided by the crest adjacent to North Coast Road. Landscape sensitivity at this viewpoint is medium, as is the level of exposure. As such, the overall visual impact is considered to be medium, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change	

Page 24 Appendix Z: Viewpoint Assessments



Viewpoint P07 – North Coast Road



Location	North Coast Road, approximately 850 m south of intersection with Brayfield Road	
View Direction	Northeast	
Landscape Type(s)	Coastal, Flat to Gently Undulating Farmland	
Distance from Project	Within the port site boundary, approximately 1.2 km west of the jetty	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low sensitivity)	
Exposure	Medium: this viewpoint is located on an unsealed road with higher than normal levels of visitation as it is near the coast and currently forms part of the local tour drive.	
Description	Views northeast of this location predominantly take in undulating farmland in the foreground with a narrow band of ocean visible on the horizon. There is little to no vegetation or topographical features apart from a few scattered trees and a fence. A green shed is also visible near the water's edge toward the right of the image.	
	The port site, incorporating earthworks and altered landform would be a dominant vis	



Comments

The port site, incorporating earthworks and altered landform would be a dominant visual element at this viewpoint. The stockpile, materials handling facilities and jetty will be located east of this location and be clearly visible with little to no obstructions. Minor topographic variations further north towards Brayfield Road will provide an element of topographic screening to the rail loop and construction camp, partially obscuring views.

Visual Impact

High: the port site would be a dominant visual element at this viewpoint, with little to no relief offered by topography or vegetation when viewing the stockpile, materials handling or jetty. Partial screening of the rail loop and construction camp will occur as a result of the crest near Brayfield Road.

Landscape sensitivity at this viewpoint is medium, as is the level of exposure. As such, the overall visual impact is considered to be high, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.



Viewpoint P08 – Cowleys Beach



View northeast



View southeast

Page 26 Appendix Z: Viewpoint Assessments



	Viewpoint P08 – Cowleys Beach	h
Location	Cowleys Beach, approximately 80 m east of Kiandra Road	
View Direction	Northeast and southeast	P07
Landscape Type(s)	Coastal	
Distance from Project	Approximately 50 m to the port site boundary and 1.5 km to the jetty	
Sensitivity	High: this viewpoint is located adjacent to Cowleys Beach and offers panoramic views of the coastline	A Line of the last
Exposure	High: this viewpoint serves as a car parking area to access Cowleys Beach	Kiandra Road P08
Description	This viewpoint is located within a designated car park also used for camping near the southern boundary of the port site. Views northeast from this location take in the eastern coastline of Eyre Peninsula with low growing dune vegetation. The ocean and beach is a dominant visual element in the view and the landscape is of high visual amenity. A crest in the middle distance restricts views further north.	0 0.25 0.5 Brief Lyst Charles Bayliffee Indignal
Comments	The only component of the port site that would be visible from this location is the jetty, which is approximately 1.6 km away at its nearest point. The other components of the port site would be concealed from view due to intervening terrain. The jetty would be visible extending seaward from the headland which is furthest away on the horizon line when looking to the north-east.	
Visual Impact	High: the jetty would be a dominant visual element in views to the north-east from a highly sensitive and highly exposed viewpoint. All other components of the port site would be screened from view due to intervening terrain. Landscape sensitivity at this viewpoint is high, as is the level of exposure. As such, the overall visual impact is considered to be high, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.	



Viewpoint P09 – Kiandra Road



Location	Kiandra Road, approximately 4 km east of intersection with Lincoln Highway	
View Direction	Northeast	
Landscape Type(s)	Coastal, Flat to Gently Undulating Farmland	
Distance from Project	On port site boundary, approximately 4 km to the jetty	
Sensitivity	Medium: a combination of coastal landscape (high sensitivity) and farmland (low sensitivity)	
Exposure	Medium: this viewpoint is located on an unsealed road with higher than normal levels of visitation as it is near the coast and forms part of the local tourist drive.	
Description	Views northeast from this location take in undulating farmland in the foreground with a relatively narrow section of the ocean visible toward the horizon. There is little to no vegetation apart from a few scattered trees. An undulating topography is apparent, with rocky outcrops observed to the east. The road which is visible in the centre of the view leads to Cowley's Beach.	
	The mank that the commence the combined and allowed by the first the combined to the commence of the combined to the combined	



The port site, incorporating earthworks and altered landform would be a moderately dominant visual element from this viewpoint. The port site would be partially concealed by intervening terrain from this location. The jetty will be partially visible as a linear element extending into the ocean. Earthworks and taller components within the port site such as the stacker will be visible in the middle distance.

Medium: the port site, would be a moderately dominant element at this viewpoint, with partial screening of the proposed port by intervening terrain.

Landscape sensitivity at this viewpoint is medium, as is the level of exposure. As such, the overall visual impact is considered to be medium, and is considered reflective of the exposure of the location, the proposed degree of visual change and the sensitivity of the landscape to change.

Page 28 Appendix Z: Viewpoint Assessments



Viewpoint P10 – Lipson Cove Road



	Location	Lipson Cove Road, approximately 6.7 km east of intersection with Lincoln Highway
	View Direction	Northeast
	Landscape Type(s)	Coastal
	Distance from Project	Approximately 7.4 km to the port site
	Sensitivity	High: this viewpoint is adjacent to Lipson Cove and offers a panoramic view of the coastline
	Exposure	High: this viewpoint serves as the access road to Lipson Cove, including the formal camping facilities
	Description	Panoramic views of the coastline are observed in a northeast to southern direction from this viewpoint. There is limited vegetation coverage in the area with recent vegetation clearance visible in the foreground. The ocean and shore areas are a dominant visual element to the east, with undulating farmland and additional coastline apparent north and west.
		The only component of the port site that would be visible from this location would be



Comments

The only component of the port site that would be visible from this location would be the jetty, located approximately 8.5 km north. The other components would be concealed from view due to intervening terrain. The jetty would be visible as a low profile linear element extending seaward from the headland on the horizon line. Visibility of the jetty may be reduced during inclement weather.

Visual Impact

Low: Although the landscape is of high visual amenity and exposure, visibility of the port site would be largely restricted by intervening terrain and the distance. The jetty would be the only element discernible, and would appear as a low profile linear element on the horizon line.



This page has been left blank intentionally.

Page 30